

Text File Data Source

- ▶ In Webi HTML client you can now use CSV and Text files as a datasource
- ▶ Similar to Excel File support

© InfoSoft 2018

Refreshable Option

- ▶ Select the queries you want to be refreshed or not when the document is refreshed
- ▶ Useful for documents based on multiple queries; some of which retrieve data that does not evolve very often (i.e. warehouse geographical data, list of products)
- ▶ This option was already available for Excel data sources & now available for universes (UNV and UNX), text files, Free-Hand SQL, SAP BW Direct Access & HANA

New Features in Web Intelligence OpenDoc URL:


- ▶ Excel PDF Format
- ▶ Simplified Mode
- ▶ SAP HANA and SAP BW Parameters

Excel and PDF Format

- ▶ In addition to the `sOutputFormat=P`, the `opendoc` URL now supports the `sOutputFormat=E` option to export a Webi document as an Excel file
- ▶ Both options are also now supported in the Webi Interactive Viewer

Simplified Mode

- ▶ A simplified Interface option has now been added when opening a document that contains only the selected document or report
- ▶ This mode is supported in HTML, Java, and the Interactive Viewer
- ▶ In HTML and Java however the side panel and the toolbars are not displayed



SAP HANA and BW Parameters

- ▶ BW & HANA Parameters support in the opendoc URL was released in BI 4.2SP5 through a hot fix and are now
- ▶ They are now fully supported in BI 4.2 SP6



© InfoSol 2018

2018

New Features in Web Intelligence Server:

- ▶ The Date Placeholder
(when scheduling and publishing)

The Date Placeholder

- ▶ When scheduling or publishing a document, the *Date* placeholder (`%SI_DATE%`) can be used instead of the *DateTime* placeholder, so as to return only the date

QUESTIONS?

BMustad@infosol.com

RGhosh@infosol.com



© Infosol 2018